

Patient: HEYD, MARGARET ANNA
PHN: 9846797852
Date of Birth: 09/Sep/1981
Patient Phone: 604-250-3865

Age: 41 y
Gender: Female



Ordering Provider: PORTER, KATHRYN
CopyTo(s):

Lab #: 23-214476021
Collected: 21/Apr/2023 08:13
Received: 21/Apr/2023 08:13

Test Result	Result Flags	Reference Range	Result Units	Time Resulted
-------------	--------------	-----------------	--------------	---------------

Specimen Comment

General Information

This Standing Order will expire on 15-DEC-2024. If this Standing Order is still required, please provide your patient with a new laboratory requisition prior to this date.

Glucose and Hemoglobin A1C

Hemoglobin A1C/Total Hemoglobin

This test was performed at Burnaby Reference Laboratory - 3680 Gilmore Way, Burnaby, BC, V5G 4V8

Hemoglobin A1C/Total Hemoglobin

7.4 A 4.5-5.9 % 21/Apr/2023 14:30

As of October 26 2020, the reference interval for A1c has been updated. There is no change to patient results.

Therapeutic target for most adults with type 1 or type 2 diabetes is <=7.0%. In the frail elderly and patients who are prone to hypoglycemia, target is <=8.5%. A1c >=6.5% meets the criterion for type 2 diabetes mellitus in adults. See 2018 Diabetes Canada guidelines.

Routine Chemistry

Electrolytes Panel

This test was performed at Burnaby Reference Laboratory - 3680 Gilmore Way, Burnaby, BC, V5G 4V8

Sodium	137	135-145	mmol/L	21/Apr/2023 15:50
Potassium	4.0	3.5-5.0	mmol/L	21/Apr/2023 15:50

Creatinine & Glomerular Filtration Rate Predicted Panel

This test was performed at Burnaby Reference Laboratory - 3680 Gilmore Way, Burnaby, BC, V5G 4V8

Creatinine	74	45-90	umol/L	21/Apr/2023 15:50
Glomerular Filtration Rate/1.73 Sq M Predicted	87	>=60		21/Apr/2023 15:50

Units for eGFR are mL/min/1.73sq.m
Kidney function estimate based on assumption of a stable serum creatinine concentration: diet, drugs, pregnancy, clinical state and muscle mass can affect accuracy of the estimate. Urinary ACR may assist interpretation. See <https://www2.gov.bc.ca/gov/content/health/practitioner-professional-resources/bc-guidelines/chronic-kidney-disease>

Thyroid Function

Thyroid Stimulating Hormone (TSH)

This test was performed at Burnaby Reference Laboratory - 3680 Gilmore Way, Burnaby, BC, V5G 4V8

Inquiries: LifeLabs 1-800-431-7206

This printed PLIS report contains confidential personal information and is for direct care purposes only.

FINAL

Patient: HEYD, MARGARET ANNA
PHN: 9846797852
Date of Birth: 09/Sep/1981

Age: 41 y
Gender: Female



Lab #: 23-214476021
Collected: 21/Apr/2023 08:13
Received: 21/Apr/2023 08:13

Test Result	Result Flags	Reference Range	Result Units	Time Resulted
-------------	-----------------	--------------------	--------------	---------------

Thyroid Function (continued)

Thyroid Stimulating Hormone (TSH) (continued)

Thyroid Stimulating Hormone (TSH)

3.02		0.32-5.04	mU/L	21/Apr/2023 15:50
------	--	-----------	------	-------------------

The FT4 and FT3 orders were cancelled as per BC Guidelines. However, the specimen will be stored for seven days.
Gestational reference intervals:
1st Trimester 0.10-3.50 mU/L
2nd Trimester 0.30-3.50 mU/L
3rd Trimester 0.45-4.00 mU/L

This printed PLIS report contains confidential personal information and is for direct care purposes only.

FINAL